

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--------------------|------------------|---------|------------------|
| S1 | 1 | "6779113".pn. | USPAT | OR | ON | 2004/11/02 11:24 |
| S2 | 2 | "6779113".pn. "6567915".pn. | USPAT | OR | ON | 2004/11/02 11:46 |
| S3 | 789 | authenticat\$3 with user with access\$3 with (application or program or data) | USPAT | OR | ON | 2004/11/02 11:46 |
| S4 | 8245 | authenticat\$3 with user with access\$3 with (application or program or data) amd RSA adj algorithm | USPAT | OR | ON | 2004/11/02 11:47 |
| S5 | 11 | authenticat\$3 with user with access\$3 with (application or program or data) and RSA adj algorithm | USPAT | OR | ON | 2004/11/02 11:47 |
| S6 | 10 | authenticat\$3 with user with access\$3 with (application or program or data) and RSA adj algorithm and @ad<"19991015" | USPAT | OR | ON | 2004/11/02 11:47 |
| S7 | 15 | "5987134".URPN. | USPAT | OR | OFF | 2004/11/02 13:47 |
| S8 | 1 | "5987134".pn. and read\$3 same writ\$3 | US-PGPUB; USPAT | OR | ON | 2005/06/22 14:24 |
| S9 | 0 | "5987134".pn. and read\$3 same writ\$3 same eras\$3 | US-PGPUB; USPAT | OR | ON | 2005/06/22 14:24 |
| S10 | 1 | "5987134".pn. and read\$3 same writ\$3 | US-PGPUB; USPAT | OR | ON | 2005/06/22 14:25 |
| S11 | 0 | "5987134".pn. and reading and writing | US-PGPUB; USPAT | OR | ON | 2005/06/22 14:25 |
| S12 | 0 | "5987134".pn. and reading | US-PGPUB; USPAT | OR | ON | 2005/06/22 14:25 |
| S13 | 0 | "5987134".pn. and writing | US-PGPUB; USPAT | OR | ON | 2005/06/22 14:25 |
| S14 | 0 | "5987134".pn. and erasing | US-PGPUB; USPAT | OR | ON | 2005/06/22 14:27 |
| S15 | 1 | "5987134".pn. and command with execut\$3 | US-PGPUB; USPAT | OR | ON | 2005/06/22 14:27 |
| S16 | 8 | (US-5987134-\$ or US-6088802-\$ or US-6108420-\$ or US-6185681-\$ or US-6516413-\$ or US-6567915-\$ or US-6615352-\$ or US-6718470-\$).did. | USPAT | OR | OFF | 2005/09/22 10:44 |
| S17 | 0 | S16 and eras\$3 | US-PGPUB; USPAT | OR | OFF | 2005/09/22 10:45 |
| S18 | 3 | S16 and (delet\$3 destroy\$3 eras\$3) | US-PGPUB; USPAT | OR | OFF | 2005/09/22 10:47 |

| | | | | | | |
|-----|------|---|-----------------|----|----|------------------|
| S19 | 48 | (delet\$3 destroy\$3 eras\$3) adj command with (sav\$3 preserv\$3) with (data file content medium) | US-PGPUB; USPAT | OR | ON | 2005/09/22 10:54 |
| S20 | 0 | (delet\$3 destroy\$3 eras\$3) adj command with (sav\$3 preserv\$3) with (data file content medium) and user near access\$3 with (right privilege) | US-PGPUB; USPAT | OR | ON | 2005/09/22 10:49 |
| S21 | 0 | (delet\$3 destroy\$3 eras\$3) adj command with (sav\$3 preserv\$3) with (data file content medium) and (client node user) with access\$3 with (right privilege) | US-PGPUB; USPAT | OR | ON | 2005/09/22 10:49 |
| S22 | 0 | (user client node) with deny with access with (delet\$3 destroy\$3 eras\$3) adj command | US-PGPUB; USPAT | OR | ON | 2005/09/22 10:54 |
| S23 | 19 | (user client node) with deny with access with (delet\$3 destroy\$3 eras\$3) | US-PGPUB; USPAT | OR | ON | 2005/09/22 10:57 |
| S24 | 6 | (user client node) with deny with permi\$5 with (delet\$3 destroy\$3 eras\$3) | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:08 |
| S25 | 6094 | (delet\$3 destroy\$3 eras\$3) with (data content medium file) same (maintain\$3 preserv\$3) with (data content medium file) | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:10 |
| S26 | 46 | (delet\$3 destroy\$3 eras\$3) adj command with (data content medium file) same (maintain\$3 preserv\$3) with (data content medium file) | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:19 |
| S27 | 0 | (delet\$3 destroy\$3 eras\$3) adj command and "not" with (delet\$3 destroy\$3 eras\$3) with (data content file medium) | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:20 |
| S28 | 179 | (delet\$3 destroy\$3 eras\$3) adj command and (maintain\$3 preserv\$3) with (delet\$3 destroy\$3 eras\$3) with (data content file medium) | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:21 |
| S29 | 35 | (delet\$3 destroy\$3 eras\$3) adj command same (maintain\$3 preserv\$3) with (delet\$3 destroy\$3 eras\$3) with (data content file medium) | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:22 |
| S30 | 8 | deny with user with (access\$3 permission) with (delet\$3 eras\$3) with (data file content medium) | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:23 |

| | | | | | | |
|-----|------|---|-----------------|----|-----|------------------|
| S31 | 8 | deny with (client user) with (access\$3 permission) with (delet\$3 eras\$3) with (data file content medium) | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:24 |
| S32 | 8 | deny with (client user) with (authori\$6 access\$3 permission) with (delet\$3 eras\$3) with (data file content medium) | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:25 |
| S33 | 0 | disallow\$3 with (client user) with (authori\$6 access\$3 permission) with (delet\$3 eras\$3) with (data file content medium) | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:25 |
| S34 | 11 | deny\$3 with (client user) with (authori\$6 access\$3 permission) with (delet\$3 eras\$3) with (data file content medium) | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:25 |
| S35 | 3 | deny\$3 with (client user) with (authori\$6 access\$3 permission) with (delet\$3 eras\$3) with (data file content medium) not S32 | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:27 |
| S36 | 27 | deny\$3 with (authori\$6 access\$3 permission) with (delet\$3 eras\$3) with (data file content medium) not S32 | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:27 |
| S37 | 24 | deny\$3 with (authori\$6 access\$3 permission) with (delet\$3 eras\$3) with (data file content medium) not S34 | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:31 |
| S38 | 0 | deny\$3 with(delet\$3 eras\$3) adj command | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:32 |
| S39 | 0 | deny\$3 with (delet\$3 eras\$3) adj command | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:32 |
| S40 | 11 | ignor\$3 with (delet\$3 eras\$3) adj command | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:34 |
| S41 | 15 | (delet\$3 eras\$3) adj command with (maintain\$3 preserv\$3 hold\$3) near (data file content medium) | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:41 |
| S42 | 4 | disregard\$3 with (delet\$3 eras\$3) adj command | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:35 |
| S43 | 19 | ("5987134").URPN. | USPAT | OR | OFF | 2005/09/22 11:36 |
| S44 | 1398 | (ignor\$3 disregard ("not" with (execut\$3 run\$4))) with (eras\$3 delet\$3) | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:42 |
| S45 | 19 | (ignor\$3 disregard ("not" with (execut\$3 run\$4))) with (eras\$3 delet\$3) near command | US-PGPUB; USPAT | OR | ON | 2005/09/22 11:42 |

| | | | | | | |
|-----|-----|---|-----------------|----|----|------------------|
| S46 | 19 | (ignor\$3 disregard ("not" with (execut\$3 run\$4))) with (eras\$3 delet\$3) near command not S41 | US-PGPUB; USPAT | OR | ON | 2005/09/22 14:05 |
| S47 | 495 | (ignor\$3 disregard ("not" with (execut\$3 run\$4))) with (eras\$3 delet\$3) and (user client) with access\$3 | US-PGPUB; USPAT | OR | ON | 2005/09/22 14:06 |
| S48 | 24 | (ignor\$3 disregard ("not" with (execut\$3 run\$4))) with (eras\$3 delet\$3) same(user client) with access\$3 | US-PGPUB; USPAT | OR | ON | 2005/09/22 14:06 |
| S49 | 24 | (ignor\$3 disregard ("not" with (execut\$3 run\$4))) with (eras\$3 delet\$3) same (user client) with access\$3 | US-PGPUB; USPAT | OR | ON | 2005/09/22 14:11 |
| S50 | 12 | (ignor\$3 disregard ("not" with (execut\$3 run\$4))) with (eras\$3 delet\$3) adj command | US-PGPUB; USPAT | OR | ON | 2005/09/22 14:15 |
| S51 | 15 | (delet\$3 eras\$3) with command with optical with medi\$2 | US-PGPUB; USPAT | OR | ON | 2005/09/22 14:16 |
| S52 | 164 | (delet\$3 eras\$3) adj command same (data file content medi\$2) with (remain\$3 stay\$3 preserv\$3 maintain\$3 keep\$3) | US-PGPUB; USPAT | OR | ON | 2005/09/22 14:17 |
| S53 | 66 | (delet\$3 eras\$3) adj command with (data file content medi\$2) with (remain\$3 stay\$3 preserv\$3 maintain\$3 keep\$3) | US-PGPUB; USPAT | OR | ON | 2005/09/22 14:17 |
| S54 | 47 | (delet\$3 eras\$3) adj command with (data file content medi\$2) with (remain\$3 stay\$3 preserv\$3 maintain\$3 keep\$3) and (@ad<"19991015" @prad<"19991015") | US-PGPUB; USPAT | OR | ON | 2005/09/22 14:55 |
| S55 | 3 | (delet\$3 eras\$3) adj command with user with access and (@ad<"19991015" @prad<"19991015") | US-PGPUB; USPAT | OR | ON | 2005/09/22 14:56 |
| S56 | 17 | (delet\$3 eras\$3) adj command with save with (data content medi\$2 file) and (@ad<"19991015" @prad<"19991015") | US-PGPUB; USPAT | OR | ON | 2005/09/22 14:57 |
| S57 | 36 | (delet\$3 eras\$3) adj command with sav\$3 with (data content medi\$2 file) and (@ad<"19991015" @prad<"19991015") | US-PGPUB; USPAT | OR | ON | 2005/09/22 14:58 |
| S58 | 19 | S57 not S56 | US-PGPUB; USPAT | OR | ON | 2005/09/22 14:59 |

| | | | | | | |
|-----|------|---|--------------------|----|----|------------------|
| S59 | 5864 | access near control and (user client) with (delet\$3 eras\$3) | US-PGPUB; USPAT | OR | ON | 2005/09/22 14:59 |
| S60 | 763 | access near control and (user client) with (delet\$3 eras\$3) and (block\$3 ignor\$3 disregard\$3 ("not" with (run\$4 execut\$3))) with (delet\$3 eras\$3) | US-PGPUB; USPAT | OR | ON | 2005/09/22 15:01 |
| S61 | 43 | access near control same (user client) with (delet\$3 eras\$3) and (block\$3 ignor\$3 disregard\$3 ("not" with (run\$4 execut\$3))) with (delet\$3 eras\$3) | US-PGPUB; USPAT | OR | ON | 2005/09/22 15:01 |